




Autoencoders

WORKSHOP ON MACHINE LEARNING TECHNIQUES,
SPRING 2022


Learning representations

in self-supervised manner




Representations

Machine Learning




Deep Learning



Deep Learning learns layers of features


edges




object parts (combination of edges)




object models





Deeper layers -> more complex features



Feature vector

$$x_1, x_2, \dots, x_n$$

CLASSIFIER

Categories weights


$$w_0^{cat}, w_1^{cat}, \dots, w_n^{cat}$$

$$w_0^{dog}, w_1^{dog}, \dots, w_n^{dog}$$

Categories scores

$$y_{cat} = w_0^{cat} + x_1 w_1^{cat} + \dots + x_n w_n^{cat}$$

$$y_{dog} = w_0^{dog} + x_1 w_1^{dog} + \dots + x_n w_n^{dog}$$



Feature vector

$$x_1, x_2, \dots, x_n$$

CLASSIFIER

Categories weights

$$w_0^{cat}, w_1^{cat}, \dots, w_n^{cat}$$

$$w_0^{dog}, w_1^{dog}, \dots, w_n^{dog}$$

Categories scores

$$y_{cat} = w_0^{cat} + x_1 w_1^{cat} + \dots + x_n w_n^{cat}$$

$$y_{dog} = w_0^{dog} + x_1 w_1^{dog} + \dots + x_n w_n^{dog}$$

construct representation
(„features extraction”)
often hard and universal part

Work on representations
often simpler and more specific part

Feature extractor „backbone” in transfer learning




Image: <https://medium.datadriveninvestor.com/introducing-transfer-learning-as-your-next-engine-to-drive-future-innovations-5e81a15bb567>






Image: <https://medium.com/@subodh.malgonde/transfer-learning-using-tensorflow-52a4f6bcde3e>

Feature extractor „backbone” in detection




Cha, Y. J., Choi, W., Suh, G., Mahmoudkhani, S., & Büyüköztürk, O. (2018). Autonomous structural visual inspection using region-based deep learning for detecting multiple damage types. *Computer-Aided Civil and Infrastructure Engineering*, 33(9), 731-747.

Face recognition



AlphaFold



Improve representation layer by layer

Representations

Protein structure

Language

Time series

Face recognition

Images

...

Representations

Much smaller than input space

Contain information relevant for the task

Unreadable - black box

We may work in latent space:

- Similar input maps to similar representation (e.g. different view points)
- Similar representations give similar output (VAE)
- Distribution in latent space
- Sometimes directly interpretable directions

Representations

Much smaller than input space


Contain information relevant for the task

Unreadable - black box


We may work in latent space: **USUALLY BY ADDING PENALTY (extra term in loss function)**

- Similar input maps to similar representation (e.g. different view points)
- Similar representations give similar output (VAE)
- Distribution in latent space
- Sometimes directly interpretable directions

Autoencoders




Two distinct neural networks
(together: autoencoder)




Model type adequate for input

- Input:
- image
 - tabular data
 - time series
 - ...




Does not require labeled data (self-supervision)

„Similarity” measure may be tricky



Much lower dimension than the input,
yet most of relevant information is present


Model learns the effective coding (compression)
for given data




Additional requirements on the latent space may be given, such as:

- Distribution of latent space representations
- similar latent (\mathbf{z}) \rightarrow similar reconstruction (\mathbf{x}')

Requirements are usually imposed by adding relevant loss terms



- Distribution in latent space representations is preferred to be Normal(0,1)
- Latent space vector for reconstruction (decoding) is sampled from vicinity of encoded vector z



Pretraining
with masked
autoencoders

Applications

Anomaly detection

Pretraining

Denosing

Downstream analysis (dimensionality reduction), VAE preferred :

- Visualization
- Clustering
- Any model with reduced number of features

Generative model (VAE)

Today workshop

Workshop contents

PyTorch model recapitulation

Introduction to GPU computing

Autoencoder step by step

Anomaly detection

KNN on latent space

Denosing autoencoder

Imposing latent space distribution

Workshop aims

Feel confident with building and training models in PyTorch

Hands-on experience autoencoders

Be able to use AE for anomaly detection

Get feeling of latent space (representations)

Good luck!
